

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

\*

**1.1. Product identifier**

Product name : STAR BRITE INSTANT BLACK STREAK REMOVER  
Product code : 726XX

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC35 Cleaning agent. Other cleaning, care and maintenance products (excludes biocidal products).

**1.3. Details of the supplier of the safety data sheet**

Supplier : Star Brite Europe Inc.  
Kryptonweg 7  
NL-3812 RZ Amersfoort, The Netherlands  
Telephone : +31 970 10255575  
E-mail : europe@starbrite.com  
Website : www.starbrite.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : 703-527-3887 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

\*

**2.1. Classification of the substance or mixture**

CLP classification : Skin irritation, category 2. Serious eye damage, category 1.  
(1272/2008/EC)

Human health hazards : Causes skin irritation. Causes serious eye damage.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.  
Other information : Do not breathe spray. Use only in well-ventilated areas.

**2.2. Label elements**

Label elements (1272/2008/EC):  
Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H315	Causes skin irritation.
H318	Causes serious eye damage.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 hands	Wear protective gloves and eye protection.
eyes	
P305+P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
+P338	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H318	Causes serious eye damage.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 eyes	Wear eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Additional labelling (for all packaging sizes)

: Contains: Tetrasodium ethylene diamine tetraacetate ; Alcohols, C9-11, ethoxylated .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants , EDTA and salts thereof	< 5
Perfumes, Limonene.	

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

\*

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Tetrasodium ethylene diamine tetraacetate	3 - < 10	64-02-8	200-573-9		
Alcohols, C9-11, ethoxylated	1 - < 3	68439-46-3	-----		
2-(2-Butoxyethoxy)ethanol	1 - < 5	112-34-5	203-961-6		
Sodium hydroxide	0,1 - < 0,5	1310-73-2	215-185-5		

  

Substance name	Hazard Class	H-phrases	Pictograms	
Tetrasodium ethylene diamine tetraacetate	Acute Tox. 4; Eye Dam. 1; Acute Tox. 4; STOT RE 2	H302; H318; H332; H373	GHS05; GHS07; GHS08	
Alcohols, C9-11, ethoxylated	Acute Tox. 4; Eye Dam. 1	H302; H318	GHS05; GHS07	
2-(2-Butoxyethoxy)ethanol	Eye Irrit. 2	H319	GHS07	
Sodium hydroxide	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1	H290; H314; H318	GHS05	H314 A : C >= 5 % H314 B : C >= 2 % H318 : C >= 2 % H319 : C >= 0,5 % H315 : C >= 0,5 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

\*

#### 4.1. Description of first aid measures

##### First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
- Skin contact : Irritant. May cause dry skin and redness.
- Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and severe pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

\*

#### 5.1. Extinguishing media

##### Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

#### 5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.
- Other information : Collect contaminated fire extinguishing water separately. Avoid release of product into sewers, surface water and/or ground water.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

\*

#### 6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

#### 6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

\*

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : Steel (except stainless steel). PET and PETG.

### 7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

\*

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
2-(2-Butoxyethoxy)ethanol	EC	67,5	101,2	-	Directive 2006/15/EG
	GB	67,5	101,2	-	
Sodium hydroxide	GB	-	2	-	GESTIS

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Tetrasodium ethylene diamine tetraacetate	Inhalation	2,5 mg/m <sup>3</sup>	2,5 mg/m <sup>3</sup>		
2-(2-Butoxyethoxy)ethanol	Inhalation	101,2 mg/m <sup>3</sup>		67,5 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>
	Dermal				83 mg/kg bw/day
Sodium hydroxide	Inhalation			1 mg/m <sup>3</sup>	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Tetrasodium ethylene diamine tetraacetate	Inhalation	1,5 mg/m <sup>3</sup>	1,5 mg/m <sup>3</sup>		

2-(2-Butoxyethoxy)ethanol	Oral Inhalation Dermal Oral	60,7 mg/m3	40,5 mg/m3	25 mg/kg bw/day 40,5 mg/m3 50 mg/kg bw/day 5 mg/kg bw/day
Sodium hydroxide	Inhalation		1 mg/m3	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Tetrasodium ethylene diamine tetraacetate	Water	2,2 mg/l	0,22 mg/l	
	Intermittent water			1,2 mg/l
	STP			43 mg/l
	Soil			0,72 mg/kg
2-(2-Butoxyethoxy)ethanol	Water	1.1 mg/l	0.11 mg/l	
	Sediment	4.4 mg/kg	0.44 mg/kg	
	Intermittent water			3,9 mg/l
	STP			200 mg/l
	Soil			0.32 mg/kg
	Oral			56 mg/kg food

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: neoprene. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: neoprene. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

\*

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid.
- Colour : Colourless.
- Odour : Perfumed.
- Odour threshold : Not known.
- pH : 12
- Alkali reserve (g NaOH/100 ml) : 0,2
- Corrosion rate on metals (55°C) : < = 6,25 mm per year.
- Solubility in water : Soluble.

Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: > 100 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 180 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,9 ( 2-(2-Butoxyethoxy)ethanol )
		Upper explosion limit in air (%): 5,9 ( 2-(2-Butoxyethoxy)ethanol )
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 1 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: 1 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: 2300 Pa	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 1,003 g/ml	
Particle characteristics	: Not applicable.	Liquid.

## 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from acids. Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

\*

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.

Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Irritant. May cause redness. Prolonged contact may dry out and defat the skin. Product is not classified as corrosive based on results of an in vitro test.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Risk of serious damage to eyes.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Tetrasodium ethylene diamine tetraacetate	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin sensitisation	Not sensitizing	-----	Guinea pig
	NOAEL (fertility) - estimate	> 250 mg/kg.d	Read across	Rat
	NOEL (carcinogenicity) - estimate	> 500 mg/kg.d		Rat
	Mutagenicity - estimate	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development, oral)	> 1374 mg/kg bw/d		Rat
	LD50 (oral)	1780 mg/kg bw	-----	Rat
	Genotoxicity - estimate	Not genotoxic		
	NOAEL (oral) - estimate	565 mg/kg bw/d	Read across	Rat
	LC50 (inhalation) - estimate	1500 mg/m3	Read across	Rat
	NOAEL (inhalation) - estimate	3 mg/m3	Read across	Rat
	LD50 (oral)	> 500 mg/kg bw	-----	Rat
	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	-----
Alcohols, C9-11, ethoxylated	Mutagenicity - estimate	Not mutagenic	Read across	-----
	Genotoxicity - estimate	Not genotoxic	Read across	-----

NOAEL (development) - estimate	Not teratogenic	Read across	----
NOAEL (fertility) - estimate	Not reprotoxic	Read across	----
NOAEL (oral) - estimate	400 mg/kg bw/d	Read across	Rat
LD50 (dermal)	> 2000 mg/kg bw		Rat
Skin sensitisation	Not sensitizing		
LC50 (inhalation) - estimate	> 5000 mg/m3	Read across	----
Eye irritation	Severely irritant		
Skin irritation	Mildly irritant		

## 11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.  
Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

\*

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 482 mg/l. Calculated EC50 (waterflea): 136 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

### 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

### 12.7. Other adverse effects

Other adverse effects : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.  
Additional warning : None.  
Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.



European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION****14.1. UN number or ID number**

UN nr. : None.

**14.2. UN proper shipping name**

Transport name : Not regulated.

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

**14.6. Special precautions for user**

Other information : Country specific variations may apply.

**14.7. Maritime transport in bulk according to IMO instruments**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION**

\*

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

: This product is exempted from classification as "Corrosive" despite section 3.2.3.1.2. of Annex I of Regulation EC No. 1272/2008. Tiered weight of evidence strategy.

**15.2. Chemical safety assessment**

Chemical safety assessment : Not applicable.

**SECTION 16 OTHER INFORMATION**

\*

**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: On basis of test data.
Eye Dam. 1	: Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Met. Corr. 1	: Corrosive to metals, category 1.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.



End of safety data sheet.